

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4392	(horizontal\$5) near3 (scanner scanning scan).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:51
L2	1819	1 and (vertical\$5) near3 (scanner scanning scan).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:51
L3	155	2 and (substrate).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:51
L4	141	3 and (film sheet layer pad)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:51
L5	84	4 and (drain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:52
L6	84	5 and (gate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:52
L7	76	6 and (control controlling controller computer ECU CPU processor microprocessor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:52
L8	66	7 and (switch switching)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:52
L9	47	8 and (detect\$5 sens\$5 transducer measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:52

L10	6	9 and (wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:52
L11	41015	(horizontal\$5) near3 (scanner scanning scan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:51
L12	17729	11 and (vertical\$5) near3 (scanner scanning scan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:51
L13	3126	12 and (substrate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:51
L14	2652	13 and (film sheet layer pad)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:51
L15	1283	14 and (drain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:52
L16	1253	15 and (gate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:52
L17	1148	16 and (control controlling controller computer ECU CPU processor microprocessor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:52
L18	1044	17 and (switch switching)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:52
L19	741	18 and (detect\$5 sens\$5 transducer measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:52

L20	140	19 and (wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 14:53
L21	9	20 and (fingerprint\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 15:03
L22	4	20 and (surface) near3 (pressure force load strain stress)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 15:04